

MODEL	VERSALAM 1300	VERSALAM 2700	VERSALAM 2700-EP	VERSALAM 2700-HC
Usage	School/Office/Commercial	School/Office/Commercial	School/Office/Commercial	School/Office/Commercial
Application	1 & 2-Sided Thermal	1 & 2-Sided Thermal	1 & 2-Sided Thermal	1 & 2-Sided Hot & Cold
	Lamination & Mounting (1/4")	Lamination & Mounting (1/4")	Lamination & Mounting (1/4")	Lamination & Mounting (1/4")
Width	13"	27"	27"	27"
Min/Max Film Thickness	1.5 - 10 mil	1.5 - 10 mil	1.5 - 10 mil	1.5 - 10 mil
Core Size	1", 3"	1", 3"	1", 3"	1", 3"
Warm Up Time	15-20 min	15-20 min	15-20 min	15-20 min
Reverse Switch	Yes	Yes	Yes	Yes
Speed (Ft/ Min)	Up to 8.8 fpm	Up to 4 fpm	Up to 8.8 fpm	Up to 8.8 fpm
Speed Control	Yes	Yes	Yes	Yes
Adjustable Temperature	Yes	Yes	Yes	Yes
Ready Light	LED	LED	LED	LED
Auto Shutoff (switch)	Yes	No	Yes	Yes
Temp Conversion	Yes	Yes	Yes	Yes
Bottom Roller Temp On/Off Switch	Yes	Yes	Yes	Yes
Middle Decurling Bar	Yes	No	Yes	Yes
Tension Control	Yes	Yes	Yes	Yes
Gap Controlled Motor Stop Sensor	Yes	Yes	Yes	Yes
Safety Shield	Yes, w/ safety sensor & wait/ready light	Yes	Yes, w/ safety sensor & wait/ready light	Yes, w/ safety sensor & wait/ready light
Feed Tray	Yes, w/ safety sensor	Yes	Yes, w/ safety sensor w/ wait/ready light	Yes, w/ safety sensor w/ wait/ready light
Feed Tray Guide Plate	2	2	2	2
Cooling Fans with On/Off Switch	Yes	Yes	Yes	Yes
J Bar	Yes	Yes	Yes	Yes
Rear Pull Roller & Idling Bar	Yes	Yes	Yes	Yes
Horizontal Trimmer	Yes (2)	Yes	Yes (2)	Yes (2)
Wait/ Ready Light			Yes	Yes
Run/ Stop Switch	Yes	Yes	Yes	Yes
Take-up Roller for Cold Laminating Liner	No	No	No	Yes
Emergency Stop Button	No	No	No	No
Electrical Requirements	115V/60Hz/1600W	115V/60Hz/1600W	115V/60Hz/1600W	115V/60Hz/1600W
Brand	Tahhsin	Tahhsin	Tahhsin	Tahhsin
Shipping Dimensions (in)	34X24X18	51X27X24	51X27X24	51X27X24
Net Weight (lbs)	104	146	146	153
Gross Weight (lbs)	114	213	213	219
Safety Approval	UL	UL	UL	UL
Units Per Parcel	1	1	1	1
Package Type / Shipping	Crated / Truck	Crated / Truck	Crated / Truck	Crated / Truck
Warranty	1 Year	1 Year	1 Year	1 Year

WIDE FORMAT ROLL LAMINATORS

MODEL	TCC-1200HC	TCC1200	TCC-1655HC	TCC-1655C
Usage	School/Office/Commercial	School/Office/Commercial	School/Office/Commercial	School/Office/Commercial
Application	1 & 2-Sided Hot & Cold Lamination & Mounting (1/2")	1 & 2-Sided Hot & Cold Lamination & Mounting (1/2")	1 & 2-Sided Hot & Cold Lamination & Mounting (1/2")	1 & 2-Sided Cold w/ Heat Assist Lamination & Mounting (1/2")
Width	45"	45"	65"	65"
Min/Max Film Thickness	1.5 - 10 mil	1.5 - 10 mil	1.5 - 10 mil	
Core Size	1", 2.25", 3"	1", 3"	1", 2.25", 3"	1", 2.25", 3"
Warm Up Time	15 mins	25 mins	15 mins	15 mins
Reverse Switch	Yes	Yes	Yes	Yes
Speed (Ft/ Min)	Up to 13fpm	Up to 6 fpm	Up to 10fpm	Up to 10fpm
Speed Control	Yes	Yes	Yes	Yes
Adjustable Temperature	Yes w/ 2 programmable settings	Yes	Yes w/ 4 programmable settings	Yes
Ready Light	LED	LED	LED	LED
Auto Shutoff	Yes	Yes	Yes	Yes
Temp Conversion	No	Yes	No	No
Bottom Roller Temp On/Off Switch	Yes	Yes	Yes	
Middle Decurling Bar	No	No	No	No
Tension Control	Yes	Yes	Yes	Yes
Gap Controlled Motor Stop Sensor	No	Yes	No	No
Safety Shield	Yes, w/ safety sensor & wait/ready light	Yes, w/ safety sensor & wait/ready light	Yes, w/ safety sensor & wait/ready light	Yes, w/ safety sensor & wait/ready light
Feed Tray	Yes, w/ safety sensor	Yes, w/ safety sensor	Yes, w/ safety sensor	Yes, w/ safety sensor
Feed Tray Guide Plate	Yes	Yes	Yes	Yes
Cooling Fans	Yes (1)	Yes (8)	Yes (1)	No
J Bar	Yes	Yes	Yes	Yes
Rear Pull Roller	Yes	Yes	Yes	Yes
Trimmers	1(HOR), 2 (VERT)	1 (HOR)	1(HOR), 2 (VERT)	1(HOR), 2 (VERT)
Wait/ Ready Light	Yes	Yes	Yes	Yes
Run/ Stop Switch	Yes	Yes	Yes	Yes
Take-up Roller for Cold Laminating Liner	Yes	Yes	Yes	Yes
Emergency Stop Button	Yes	Yes	Yes	Yes
Electrical Requirements	220 ~ 240 V / 50,60Hz 1900W	220V/60Hz	220 ~ 240 V / 50,60Hz 3100W	
Brand	Tamerica	Tahhsin	Tamerica	Tamerica
Shipping Dimensions (in)	62X45X27	68x29x59	84X28X27	84X28X27
Net Weight (lbs)	264	370		
Gross Weight (lbs)	313	503	495	404
Safety Approval	CE	UL PENDING	CE	CE
Units Per Parcel	1	1	1	1
Package Type / Shipping	Boxed / Truck	Crated / Truck	Crated / Truck	Crated / Truck
Warranty	1 Year	1 Year	1 Year	1 Year
Idling bars/ stabilizing bars	4 (hollow)	9 (solid)	4 (hollow)	4 (hollow)
Steel Chassis	Yes	Yes	Yes	Yes